techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo
Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

# TCA-4810 USB Webcam / TCA-4810 USB Webcam




**Techsolo Europa B.V. | 2006**

**Produktbeschreibung**
**Product description**

**TCA-4810**



Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

# TCA-4810 USB Webcam

**high resolution**

Form follows function! Compact and small! The TCA-4810 from techsolo provides maximum quality in small size! It has a resolution of 800x600 pixel and a colour depth of 24 Bit. It is equipped with a CMOS image sensor and it has a focus range of 5 cm to infinite. See the quality of this product yourself.

**Technical data:**

· Picture sensor: CMOS
· Resolution: 800x600 at 24 Bit colour depth
· Focus range: minimum: 5 cm
· Connection through USB
· Data: 320*240 30F/s,640*480 15F/s
· Plug&Play
· Supports Windows 98/ME/2000/XP

**Package contnet:**

· Webcam
· basis
· Driver CD

**Logistic data:**

measures: 120x80x30 mm
packing measures: 275x190x75 mm
weight: 18,6 kg per packing unit
packing unit: 30 pcs
packing units per palette: 12

**Disclaimer:**

The pictures of the product can be different from the product itself. The court of law is impossible. You don’t have the right to claim on anything by this data sheet. If you are using this sheet you agree to these conditions.



techsolo
Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

# TCA-4810 USB 2.0 Webcam

**Hohe Auflösung**

Form follows function! Ausgestattet mit der neuesten Technik, bietet die Webcam TCA-4810 eine gestochen scharfe, hochauflösende Bildqualität vom Allerfeinsten. Mit der multifunktionalen Arretierung lässt sich die Webcam nahezu überall befestigen. Bildsensor: CMOS Auflösung: 800x600 mit 24 Bit Farbtiefe Aufnahmeabstand: mindestens 5 cm bis unendlich!

**Technische Daten:**

· Picture sensor: CMOS
· Resolution: 800x600 at 24 Bit colour depth
· Focus range: minimum: 5 cm
· Connection through USB
· Data: 320*240 30F/s,640*480 15F/s
· Plug&Play
· Supports Windows 98/ME/2000/XP

**Lieferumfang:**

· Webcam
· basis
· Driver CD

**Logistische Daten:**

Abmessungen: 120x80x30 mm
Abmessungen Verpackung: 275x190x75 mm
Gewicht: 18,6 kg pro VPE
Verpackungseinheit: 30 Stück
Verpackungseinheiten auf Palette: 12

**Disclaimer:**

Die Abbildungen können vom Original abweichen. Sie können durch dieses Datenblatt keinerlei Ansprüche geltend machen.
Der Rechtsweg ist ausgeschlossen. Wenn Sie dieses Datenblatt verwenden, so stimmen Sie diesen Vereinbarungen zu.

